

LDPE 软管

- 采用优质聚乙烯原料生产，同时添加抗 UV 和抗老化剂更加耐用。
- 公制，有多种规格和压力等级可供选择。
- 主要运用于灌溉系统中的主管道和分支管道。

LDPE Tubing

- Polyethylene hose manufactured from the highest grade of polyethylene resins, which provide maximum resistance to UV degradation and stress cracking.
- Various diameters, coil lengths and working pressure are available for selection.
- Ideal for installation of mainline and sub-line in irrigation system.

产品名称 Product Description	货号 Item No.	产品名称 Product Description	单位 Unit	包装 Package (m/roll)	包装规格 Package Size (Cm)	毛重 G.W (Kg)
	LP011610	Dn16 , 1.0mm , 2.5Bar	m	500	Dn90*30	26
	LP011612	Dn16 , 1.2mm , 4.0Bar	m	500	Dn90*30	27
	LP011616	Dn16 , 1.6mm , 6.0Bar	m	500	Dn90*30	38
	LP012012	Dn20 , 1.2mm , 2.5Bar	m	200	Dn75*30	15
	LP012015	Dn20 , 1.5mm , 4.0Bar	m	200	Dn75*30	18
	LP012020	Dn20 , 2.0mm , 6.0Bar	m	200	Dn75*30	23
	LP020510	黑白管 White/Black PE pipe Dn5,1.0mm,5Bar	m	500	Dn45*60	8
	LP021610	黑白管 White/Black PE pipe Dn16,1.0mm,2.5Bar	m	500	Dn90*30	26
	LP021612	黑白管 White/Black PE pipe Dn5,1.2mm,4.0Bar	m	500	Dn90*30	27
	LP022013	黑白管 White/Black PE pipe Dn20,1.3mm,2.5Bar	m	200	Dn75*30	15
LP022015	黑白管 White/Black PE pipe Dn20,1.5mm,4.0Bar	m	200	Dn75*30	18	



备注：外层白色 PE 管可以有效防止太阳曝晒下管内水温升高，避免烫伤作物

Note: Under the sun exposure, the PE pipe with white color outside can be effective to prevent water from high temperature and avoid to hurt the crops.

拉扣式带用配件 Lock Ring Fitting for Drip Tape for 0.2–0.4mm Thickness

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
拉扣带用旁通接头 Lock Ring Offtake for Drip Tape		TO021715	Dn17*15	100	1600	54*35*28	14
PVC 管用拉扣旁通 (带单层橡胶圈) PVC Offtake for Drip Tape		TO021715R	Dn17*15	100	1400	54*35*28	15
拉扣带用直接 Lock Ring Coupling for Drip Tape		LC0217	Dn17	100	1300	54*35*28	12
拉扣带用承插接头 Barb Lock Ring Coupling for Drip Tape		BC021617	Dn17*16	100	1600	54*35*28	11
拉扣带用接头 Lock Ring Tape Plug		TP0317	Dn17	100	2000	54*35*28	11
大单层橡胶圈 T Grommet		RR011613	Dn16*13	100	7000	54*35*28	21

锁扣式带用配件 Lock Nut Fitting for Drip Tape for 0.2–0.6mm Thickness

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
带用旁通接头 Tape Offtake		TO011715	Dn17*15	100	1300	54*35*28	14
带用旁通 (带单层橡胶圈) PVC Offtake for Tape		TO011715R	Dn17*15	100	1000	54*35*28	14
带用锁扣旁通 Lock Type Offtake		LO0117	Dn17	100	1000	54*35*28	13
带用锁扣直接 Lock Coupling for Tape		LC0117	Dn17	100	800	54*35*28	14
带用承插接头 Barbed Coupling for Tape		BC011617	Dn17*16	100	1100	54*35*28	14
外螺纹带用接头 Male Thread Coupling for Tape		MT011712	Dn17*1/2"	100	1000	54*35*28	14
		MT011734	Dn17*3/4"	100	900	54*35*28	14

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
可折式带用涂塑软管旁通接头 Connection for Lay Flat Hose		CT0217	Dn17	100	550	54*35*28	16
涂塑软管快速带用接头 Croco Offtake for Lay Flat Hose		CT0317	Dn17	100	700	54*35*28	19
带用锁扣弯头 Lock Elbow for Tape		ET0117	Dn17	100	700	54*35*28	14
三边锁扣带用三通 Lock Tee for Tape		TT0117	Dn17	50	350	54*35*28	12
外螺纹带用三通 Male Threaded Tape Tee		TT021712	Dn17*1/2"	50	450	54*35*28	12
可折式带用涂塑软管三通接头 Tape Tee for Lay Flat Hose		TT0417	Dn17	50	250	54*35*28	11
锁扣式带用堵头 Tape Plug		TP0117	Dn17	100	1300	54*35*28	18

滴灌带用阀门 Mini Valve for Drip Tape

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
带用旁通阀门 Offtake Tape Valve		OV031715	Dn17*15	50	500	54*35*28	15
带用旁通阀门 (带单层橡胶圈) Offtake Tape Valve with T Grommet		OV031715R	Dn17*15	50	450	54*35*28	17
承插带用阀门 Barb-Lock Vale for Tape		BV011617	Dn16*17	50	450	54*35*28	16
带用锁扣旁通阀门 Offtake Valve for Tape		OV0217	Dn17	50	450	54*35*28	16
多功能 带用管用阀门 Multi Valve for Drip Tape and Pipe		MV021617	Dn16*17	50	400	54*35*28	17
外螺纹带用阀门 Male Thread Valve for Tape		TV0117	Dn17*1/2"	50	450	54*35*28	16
双边带用锁扣阀门 Lock Tape Coupler with Valve		LV0117	Dn17	50	400	54*35*28	17
涂塑软管 旁通带用阀门 Tape Valve for Lay Flat Hose		TV0217	Dn17	50	300	54*35*28	16

微灌管用配件 Fitting for Tubing

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
管用旁通接头 Offtake for PE Pipe		OP011615	Dn16*15	100	2800	54*35*28	16
		OP012015	Dn20*15	100	1400	54*35*28	14
管用旁通接头 (带大单层橡胶圈) Offtake for PVC Pipe		OP011615R	Dn16*15	100	2200	54*35*28	18
		OP012015R	Dn20*15	100	1200	54*35*28	16
PVC 管用旁通三通 Offtake Tee for PVC Pipe		OT0116R	Dn16*15	100	1200	54*35*28	10
外螺纹管用接头 Male Threaded Connector		MC011612	Dn16*1/2"	100	1900	54*35*28	15
		MC011634	Dn16*3/4"	100	1200	54*35*28	12
管用倒刺弯头 Elbow Connector		EC0116	Dn16	100	2100	54*35*28	10
		EC0120	Dn20	50	1200	54*35*28	12
外螺纹管用倒刺弯头 Elbow With Male Thread		EC021612	Dn16*1/2"	100	1500	54*35*28	15
管用倒刺三通 Tee Connector		TC0116	Dn16	100	1300	54*35*28	10
		TC0120	Dn20	50	700	54*35*28	10
折叠式管用堵头 End Line		EL0116	Dn16	100	3000	54*35*28	11
		EL0120	Dn20	100	1600	54*35*28	12

备注：Dn17 配件专门用于 0.8 薄壁滴灌管。
Note: Dn17 Barb fitting is specialized to fit for Dripline with 0.8mm thickness.

微灌管用配件 Fitting for Tubing

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
地插固定支架 Holddown Support		HS0216	Dn16	100	4000	54*35*28	28
悬挂固定管夹 Hanging Clamp for PE pipe		HC0216	Dn16-17	500	15000	54*35*28	14
		HC0316	Dn16	500	8000	54*35*28	13
冲洗阀 Flush Valve		FV0234	3/4", 0.18bar	100	1200	54*35*28	13

锁扣管用接头 Lock Nut Fitting for Pipe

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
锁扣管用旁通 Lock Offtake for Pipe		OP021615	Dn16*15	100	1300	54*35*28	15
内螺纹锁扣接头 Lock Coupling with Female Thread		FC021634	Dn16*3/4"	100	1000	54*35*28	12
外螺纹锁扣接头 Lock Coupling with Male Thread		MC021612	Dn16*1/2"	100	1200	54*35*28	14
		MC021634	Dn16*3/4"	100	1000	54*35*28	12
锁扣管用直通 Lock Coupling for Pipe		SC0216	Dn16	100	900	54*35*28	14
锁扣管用弯头 Lock Elbow for Pipe		EC0216	Dn16	100	700	54*35*28	12
管用锁扣三通 Lock Tee for Pipe		TC0216	Dn16	50	400	54*35*28	11
锁扣管用堵头 Lock Plug for Pipe		EL0316	Dn16	100	1300	54*35*28	13

锁扣管用接头 Dn20 Lock Nut Fitting for Pipe Dn20

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
锁扣管用旁通 Lock Offtake for Pipe		OP032018	Dn20*18	50	600	54*35*28	11
锁扣管用直接 Lock Coupling for Pipe		SC0320	Dn20	50	400	54*35*28	13
锁扣变接 Lock Adaptor with Male thread		MC032034	Dn20*3/4"	50	550	54*35*28	11
锁扣弯头 Lock Elbow		EC0320	Dn20	50	300	54*35*28	10
锁扣正三通 Lock Tee		TC0320	Dn20	25	200	54*35*28	10
锁扣三通变接 Lock Tee with Male Thread		TC032034	Dn20*3/4"	25	200	54*35*28	9
锁扣堵头 Lock End line		EL0320	Dn20	50	400	54*35*28	13
锁扣直通阀门 Lock Joint Valve		MV0320	Dn20	25	200	54*35*28	11
锁扣变接阀门 Thread- Lock Valve		TV032034	Dn20*3/4"	30	300	54*35*28	13
锁扣旁通阀门 Lock Offtake Valve		OV032018	Dn20*18	30	300	54*35*28	13
橡胶大单层胶圈 T Rubbee Grommet		RR012018	T20*Dn18	100	5000	54*35*28	16

微灌管用阀门 Mini Valve for Tubing

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
承插旁通阀门 Barb Offtake Valve		OV011615	Dn16*15	50	600	54*35*28	16
		OV012015	Dn20*15	50	550	54*35*28	15
锁扣旁通阀门 Lock Offtake Valve		OV021615	Dn16*15	50	500	54*35*28	17
承插直通阀门 Maxi Valve		MV0116	Dn16	50	600	54*35*28	15
		MV0120	Dn20	50	500	54*35*28	12
锁扣直通阀门 Lock Joint Valve		MV0216	Dn16	50	350	54*35*28	14
外螺纹承插阀门 Thread-barb Valve		TV011216	Dn1/2"*16	50	600	54*35*28	16
		TV011220	Dn1/2"*20	50	550	54*35*28	14

管用配套工具及其他 Accessory Tooling for Tubing

产品名称 Product Description	图片 Picture	货号 Item No.	规格 Size	每袋数量 Qty/Bag (Pc)	每箱数量 Qty/Ctn (Pc)	纸箱规格 Ctn Size (Cm)	毛重 G.W (Kg)
管上式打孔器 Punch for On-line Dripper		PD0104	Dn4	100	3500	42*28*21	13
简易打孔器 Simple Punch		SP0103	Dn3	10	400	54*35*28	28
		SP0108	Dn8	10	400	54*35*28	28
实芯打孔器 Simple Punch		SP0203	Dn3	100	400	54*35*28	28
握式打孔器 Handle Punch		SP250	Dn3	1	60	42*28*21	8
涂塑软管打孔器 Punch for Lay Flat Hose		PF0215	Dn15	1	50	42*28*21	9
		PF0217	Dn17	1	50	42*28*21	9
多功能钻头 Multi Size Drill		SP0616	Dn6-16	1	200	42*28*21	10
		SP0620	Dn6-20	1	200	42*28*21	12